

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 – USA • 909-472-4100 • 909-472-4244 • www.iapmort.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: March 2017 -Rev. 5/30/2017- Void After: March 2018

Product: Ceramic Plumbing Fixtures File No. 4571

Issued To: CFI INDUSTRIES INC. DBA WINFIELD PRODUCTS
1280 E. 9th Street
Pomona, CA 91766

Identification: Ceramic Plumbing Fixtures shall be marked with the manufacturer's name or registered trademark, or in the case of private labeling, the name of the customer for whom the fixture was manufactured. Markings shall be permanent, legible, and visible after installation.

The model number of close-coupled water closets shall be marked on both the tank and the bowl.

Water closets and urinals shall be marked to identify the average water consumption, expressed in litres and gallons per flush. The litre or gallon value may be stated first, at the manufacturer's option.

Gravity flush tanks shall be marked with a water level mark or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the ceramic body of the tank, the tank liner, or the flush valve overflow tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm (1.5 in).


Chairman, Product Certification Committee


CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

-Rev. 5/30/2017-

Void After: March 2018

Product: Ceramic Plumbing Fixtures

File No. 4571

Issued To: CFI INDUSTRIES INC. DBA WINFIELD PRODUCTS

Water closet tanks shall have a label indicating at least the following:

- (a) the telephone number or contact information of a service department from which end-users can obtain replacement parts;
- (b) the serial or part number of the flush valve seal; and
- (c) information on procuring replacement parts for maintaining the original flush volume.

All packaging shall be marked with the manufacturer's name or registered trademark; or in case of private labeling, the name of the customer for whom the fixture was manufactured and the model number. Packaging for water closets and urinals shall be marked with the water consumption in gpf and Lpf.

Each fixture shall be marked with the UPC® certification mark. In the case where the tank and the bowl are sold separately, both shall have the certification mark.

Fixtures that require proprietary (i.e., non-standard) components, e.g., supply fittings, waste fittings, or water closet seats, shall indicate, in the packaging or the accompanying literature, that such components are provided by the manufacturer and shall identify the proper replacement parts.

Fixtures that do not comply with one or more of the dimensional requirements of this Standard shall be marked with an "N" to indicate the non-standard nature of the fixture.

Characteristics: Ceramic plumbing fixtures may include water closets, lavatories, urinals, bidets, service sinks and drinking fountains. To be installed in accordance with the manufacturer's instructions and the latest edition of the Uniform Plumbing Code.



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

-Rev. 5/30/2017-

Void After: March 2018

Product: Ceramic Plumbing Fixtures

File No. 4571

Issued To: CFI INDUSTRIES INC. DBA WINFIELD PRODUCTS

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)

Products are in compliance with the following standard(s):

ASME A112.19.2-2013/CSA B45.1-13 including Update No. 1 dated October 2013



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

-Rev. 5/30/2017-

Void After: March 2018

Product: Ceramic Plumbing Fixtures

File No. 4571

Issued To: CFI INDUSTRIES INC. DBA WINFIELD PRODUCTS

MODELS:

Vitreous China Lavatories

<u>Model No.</u>	<u>Description</u>
L1916	Under Counter, 1 Outlet Punching, 19" x 16"
L1919	Self-Rimming, Drop-in, Round, 3 Punching for Centerset Supply Fittings, 1 Outlet Punching 19" x 19"
L2017	Self-Rimming, Drop-in, Oval, 3 Punching for Centerset Supply Fittings, 1 Outlet Punching, 20" x 17"
K02-2017	Counter top vessel, single hole for supply fittings, with overflow hole 20 1/2" x 17" x 6"
K03-S1818	Counter top vessel, square, single hole for supply fittings, with overflow hole 18 1/4" x 6 1/2"
K07-2113	Counter top vessel, no hole for supply fittings, with overflow hole 21 1/4" x 13" x 6"
K11-2018	Semi-recess rectangular, single hole supply fittings, with overflow hole 20" x 18"
K40-R1919	Counter top vessel, round, single hole for supply fittings, with overflow hole 19 3/4" x 5 3/4"
LU1714	Under counter lavatory, no hole for supply fittings, with overflow hole 17" x 14"
LU1815	Under counter lavatory, no hole for supply fittings, with overflow hole 18" x 15"
LU2014KS	Under counter lavatory, no hole for supply fittings, with overflow hole 21" x 15" x 8"
LU2015	Under counter lavatory, no hole for supply fittings, with overflow hole 20" x 15"
L181525	Counter top lavatory, Victorian style, no hole supply fittings, with overflow tube 18" x 15"

Vitreous China Water Closets

Winfield™

<u>Model No.</u>	<u>Description</u>
Tank X6811/Bowl T6811	Floor Mounted L/C 1.6
Tank X6811/Bowl T6816	Floor Mounted L/C 1.6
Tank X6811/Bowl T6811H	Floor Mounted L/C 1.6
Tank X310/Bowl T310	Floor Mounted L/C 1.6
Tank TK201/Bowl TB201	Floor Mounted L/C 1.6
Tank TK916/Bowl TB916	Floor Mounted L/C 1.6
Tank TK3511/Bowl TB3511	Floor Mounted L/C 1.28
Tank TK3512/Bowl TB3512	Floor Mounted L/C 1.28
Tank TK3513/Bowl TB3513	Floor Mounted L/C 1.28
Tank PAK 100/Bowl PAB 155 PAT155-100	Pressure Assisted ADA Elongated HET 1.0
Tank PAK 100/Bowl PAB 165 PAT165-100	Pressure Assisted ADA Elongated HET 1.0



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

-Rev. 5/30/2017-

Void After: March 2018

Product: Ceramic Plumbing Fixtures

File No. 4571

Issued To: CFI INDUSTRIES INC. DBA WINFIELD PRODUCTS

Tank PAK 128/Bowl PAB 165 PAT165-128 Pressure Assisted ADA Elongated HET 1.28



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

-Rev. 5/30/2017-

Void After: March 2018

Product: Ceramic Plumbing Fixtures

File No. 4571

Issued To: CFI INDUSTRIES INC. DBA WINFIELD PRODUCTS

ADDITIONAL COMPANY INFO:

MODELS:

DONGYANG CERAMIC CO. LTD.

<u>Model No.</u>	<u>Description</u>
DY-K02-2017	Counter top vessel, single hole for supply fittings, with overflow hole 20 1/2" x 17" x 6"
DY-K03-S1818	Counter top vessel, square, single hole for supply fittings, with overflow hole 18 1/4" x 6 1/2"
DY-K07-2113	Counter top vessel, no hole for supply fittings, with overflow hole 21 1/4" x 13" x 6"
DY-K11-2018	Semi-recess rectangular, single hole supply fittings, with overflow hole 20" x 18"
DY-K40-R1919	Counter top vessel, round, single hole for supply fittings, with overflow hole 19 3/4" x 5 3/4"
DY-LU1714	Under counter lavatory, no hole for supply fittings, with overflow hole 17" x 14"
DY-LU1815	Under counter lavatory, no hole for supply fittings, with overflow hole 18" x 15"
DY-LU2014KS	Under counter lavatory, no hole for supply fittings, with overflow hole 21" x 15" x 8"
DY-LU2015	Under counter lavatory, no hole for supply fittings, with overflow hole 20" x 15"
DY-L181525	Counter top lavatory, Victorian style, no hole supply fittings, with overflow tube 18" x 15"

Famous Enterprises

<u>Model No.</u>	<u>Description</u>
S33TK3512	Toilet Tank, 1.28GPF
S33 TB3511	Elongated Toilet Bowl, 1.28GPF
S33 TB3512	Elongated Toilet Bowl, 1.28GPF
S33 TB3513	Round Front Toilet Bowl, 1.28GPF

STANDARDS PLUMBING SUPPLY

Floor Mounted 1.28 gpf water closets:

<u>Model No.</u>
PFHETTWH bowl PFHETADAWH tank
PFHETTWH bowl PFHETEBWH tank
PFHETTWH bowl PFHETRBWH tank